Date:	27.07.2021	MY 2022
tatus:	approved	
		R 18 B (0L33)
ngine		
	Туре	Air / oil-cooled two-cylinder four-stroke boxer engine with two chaindriven camshafts located above the crankshaf
	Bore / stroke	107.1 mm x 100 mm
	Capacity	1.802 cc / 110 cui
	Rated output	67 kW (91hp) at 4,750 rpm
	Max. torque	158 Nm at 3,000 rpm
	Compression ratio	9,6:1
	Mixture control	Electronic manifold injection / digital engine management: BMS-O with Egas
	Emission control	Closed-loop 3-way catalytic converter, emission standard EU-5
• erforn	nance / fuel consumption	
	Maximum speed	over 180 km/h
	Fuel consumption per 100 km based on WMTC	5.8 l/100km
	CO ₂ emission based on WMTC	134 g/km
	Fuel type	Unleaded super (max. 15% Ethanol, E15) ROZ 95 90 AKI
lectric	cal system	
	Generator	Permanent magnet generator 660 W (nominal power)
	Batterie	12V / 26 Ah
ower t	transmission	
	Clutch	Single-disc dry clutch
	Gearbox	claw-shifted 6-gear transmission in seperate gearbox housing
	Drive	Shaft drive
Chassis	s / brakes	
	Frame Front wheel location / suspension	double loop tubular steel frame with bolt on lower frame rails
		telescopic front fork
	Rear wheel location / suspension	steel dual swingarm with central spring strut
	Suspension travel	120 mm / 120 mm
	Wheelbase	1.695 mm
	Castor	183,5 mm
	Steering head angle	62,7°
	Wheels	Aluminum cast wheels
	Rim, front	3,5" x 19"
	Rim, rear	5,0" x 16"
	Tyre, front	120/70 R 19
	Tyre, rear	180/65 B16
	Brake, front	Dual disc brake, diameter 300 mm, 4-piston radial calipers
	Brake roor	Single disc brake, diameter 300 mm, 4-piston radial calipers
	Brake, rear ABS	BMW Motorrad Integral ABS (fully-integral)
Jimens	i ions / weights Seat height	720 mm
	Inner leg curve	1,700 mm
	Usable tank volume	approx. 24 I
	Reserve	approx. 4 l
	Length (over numberplate)	2,560 mm
	Height (at windshield)	1,400 mm
	Width (incl. mirrors)	970 mm
	Unladen weight, road ready, fully fuelled 1)	398 kg
	Permitted total weight	630 kg
	Payload (with standard equipment)	232 kg
Equipm	eent Standard equipment	New front fairing with low windshield in bagger style, new 10.25 "TFT color display, Marshall Audio Sound Systen
		LED headlights, LED indicators, LED rear and brake lights, Dynamic Cruise Control, ASC, 3 driving modes (rock, ro Rain), Keyless Ride, Top Loader side cases
	Optional equipment (OE)	Active Cruise Control, Marshall Audio Gold Series Stage 1, HSC (Hill Start Control), adaptive headlights, reverse gear, DWA
	Optional accessories (OA)	various Rolands Sands forged parts with milled surfaces (valve covers, engine front covers,), various wheels, se / benches, handlebars, engine protection bars and more

Technical data relate to the unladen weight (DIN)

1) According to guideline VO (EU) 168/2013 with all fluids, with standard equipment and fuelled with at least 90% of usable tank volume.